

166 Lincolnway Valparaiso, IN 46383 (219) 462-1161 Valpo.us

Kyle Yelton, President

Citizen Member appointed by Mayor also on Plan Commission

James Bilder

Citizen Member appointed by Mayor not on Plan Commission

Paul Reed, Vice President

Citizen Member appointed by Mayor not on Plan Commission

Hannah Trueblood

Citizen Member appointed by City Council and not on Plan Commission

Sarah Litke

Citizen Member appointed by Plan Commission from its membership

As a quasi-judicial board, board members may <u>not</u> be contacted about any petition on this agenda or that which may appear on a future agenda. Direct any comments/questions to the Planning Department.

STAFF

Bob Thompson, Executive Secretary

Patrick Lyp, Attorney

Valparaiso Board of Zoning Appeals Meeting Agenda

Tuesday, May 20, 2025, 5:30 p.m. CST City Hall, 166 Lincolnway, Valparaiso, IN 46383 Council Chambers

- 1. Call to Order
- 2. Pledge of Allegiance
- 3. Roll Call and Declaration of a Quorum
- 4. Consideration of Minutes of the previous meeting(s)
 - April 15, 2025

5. Old Business and Matters Tabled

VAR25-005 (Public Hearing)

A petition filed by S & L Properties Thornapple LLC (Owner) c/o McCON Building Corporation and SAM. This variance request pertains to the development proposal of a Culver's Restaurant at 852 Thornapple Way. The zoning classification is CG General Commercial. The petitioner requests the following variances from the Valparaiso Unified Development Ordinance (UDO):

- From 11.502 to reduce the required maximum horizontal dimension and offsets to that shown per plan; and
- From 11.506 to reduce the required fenestration to that shown per plan.

6. New Business

VAR25-007 (Public Hearing)

A petition filed by Gordon Bailey (Owner). The petitioner requests the following variances from the Valparaiso Unified Development Ordinance (UDO): Table 2.302 to allow a privacy fence in the street side yard (per plan provided) at 1013 Elmhurst Avenue. The variance request incorporates three development standards variances – 6ft height, full opacity, and location. The zoning classification is NC60 Neighborhood Conservation.

VAR25-008 (Public Hearing)

A petition filed by Luke Land, LLC (Petitioner). This variance request pertains to the development proposal of Luke convenience store and fuel canopy at 1058 South State Road 2. The zoning classification is CG General Commercial. The petitioner requests the following variances from the Valparaiso Unified Development Ordinance (UDO):

- 9.403(B) to reduce minimum adjacent connection spacing from 360' to 348' where the posted speed limit is 45mph;
- 11.502 to eliminate the maximum uninterrupted horizontal dimension and required offsets on the sides and back of the building;
- 11.503(A) to increase the maximum horizontal interval for architectural features on the primary façade from 12' to 18'8";
- Table 11.506 to reduce the required transparency along the primary facade from 60% to 57.8%; and

- 2.403(D)(2) / 2.552(B) to install fuel canopy fascia in "Luke Blue" to match the brand standard colors.
- 7. Other Business
- 8. Staff Items
- 9. Adjournment

Next scheduled meeting: Tuesday, June 17, 2025, 5:30 p.m.

The agenda packet will be posted on the city's website (Valpo.us) approximately one week prior to the meeting. Interested persons desiring to participate in the public hearing process for a petition on the agenda may attend in person or submit <u>written</u> comments (with name, address, and email address/telephone number) to the Planning Department <u>prior to</u> the hearing date (planningdepartment@valpo.us or City Hall address provided above). For questions about a petition or about the meeting in general, contact the Planning Department at planningdepartment@valpo.us, (219) 462-1161, or visit City Hall. The meeting will be livestreamed on the city's website. A recording of the meeting will be posted on the city's website, and meeting minutes will be posted on the city's website once approved.

PETITION TO VALPARAISO BOARD OF ZONING APPEALS:		For Office L	Ise Only:	
This application is being submitted for (Check all that apply):		Petition #:		
 □ Use Variance □ Development Standards Variance □ Special Exception/Special Use □ Relief to Administrative Decision □ Conditional Use □ Wireless Communications Facility 		Application Date Filed:	Type:	
SUBJECT PROPERTY INFORMATION			TYPE OF	R PRINT IN INK
Property Address:	side between	(streets)	the	
PETITIONER INFORMATION				
Applicant Name: Phone: Email:	Address:			
PROPERTY OWNER INFORMATION				
Applicant Name: Phone:	Address:			
Email:				
SECTIONS OF UDO FROM WHICH A VARIANCE, SPECIAL	EXCEPTION OR	ADMIN RELI	EF IS SOUGHT:	
Article: 11.500 Section: 11.502 Paragraph: B Item: 1	Article:	_Section:	Paragraph:	Item:
Article: 11.500 Section: 11.506 Paragraph: AItem:	Article:	_Section:	Paragraph:	Item:
Article:Section:Paragraph:Item:	Article:	_Section:	Paragraph:	Item:

Article:

Item:

Section:

Article:

Section:

Paragraph:

Item:

Paragraph:

LEGAL DESCRIPTION OF SUBJECT PROPERTY: (OR EXHIBIT NO)
DESCRIPTION OF PROPOSED PROJECT: (OR EXHIBIT NO)

Variance from Development Standards Petitioner's Proposed Findings of Fact

(Please use fillable pdf, print neatly, or attach printed document.)

Petitioner submits that:

A.	The proposed variance from the Development Standards will not be injurious to the public health, safety, morals, and general welfare of the community because:
В.	The use and value of the area adjacent to the property included in the proposed variance will not be affected in a substantially adverse manner because:
C.	The strict application of the terms of the zoning ordinance will result in practical difficulties in the use of the property included in the proposed variance because:

The petitioner carries the burden of proving to the Board of Zoning Appeals the existence of each and every one of the elements listed above.



IMPORTANT UNDERGROUND UTILITY NOTES

EXISTING UNDERGROUND UTILITIES SHOWN IN THESE PLANS ARE BASED ON EVIDENCE OF ABOVE GROUND FEATURES, ON LOCATIONS MARKED IN THE FIELD BY OTHERS, OR ON RECORD INFORMATION PROVIDED BY UTILITY COMPANIES. PIPE INVERT ELEVATIONS WERE MEASURED WITHOUT ENTERING CONFINED SPACES. NO EXCAVATION SHOULD OCCUR WITHOUT NOTIFICATION OF APPROPRIATE AGENCIES AND UTILITY COMPANIES. THE CONTRACTOR SHALL BE RESPONSIBLE FOR FIELD VERIFICATION OF PIPE INVERTELEVATIONS AND UTILITY LOCATIONS, AND SHALL NOTIFY THE PROFESSIONAL SURVEYOR IMMEDIATELY IF CONFLICTS ARE DISCOVERED.

GENERAL NOTES

FOR PROTECTION OF UNDERGROUND UTILITIES, CONTRACTOR SHALL CALL 1-800-382-5544 A MINIMUM OF TWO WORKING DAYS PRIOR TO EXCAVATING IN THE VICINITY OF UTILITY LINES. ALL INDIANA 811 PARTICIPATING MEMBERS WILL THUS BE ROUTINELY NOTIFIED. THIS DOES NOT RELIEVE THE CONTRACTOR OF NOTIFYING UTILITY OWNERS WHO MAY NOT BE PART OF THE INDIANA 811 ALERT SYSTEM.

IF ANY ERRORS BECOME APPARENT, THESE SHALL BE BROUGHT TO THE ATTENTION OF THE ENGINEER PRIOR TO CONSTRUCTION SO THAT CLARIFICATION OR REDESIGN MAY OCCUR.

THE CONTRACTOR SHALL CONFORM TO THE CURRENT STANDARDS AND SPECIFICATIONS OF THE LOCAL GOVERNMENT, INDIANA DEPARTMENT OF ENVIRONMENTAL MANAGEMENT, AND THE INDIANA DEPARTMENT OF TRANSPORTATION.

THE CONTRACTORS SHALL MAKE WHATEVER SOIL BORINGS NECESSARY TO FULLY ACQUAINT THEMSELVES WITH CONDITIONS AS THEY EXIST SO THAT THEY MAY FULLY UNDERSTAND THE CONDITIONS WHICH MAY AFFECT THE COST OF THE WORK. FAILURE TO MAKE SUCH BORINGS OR ANY BORINGS MADE WHICH DO NOT PROVIDE A COMPLETE UNDERSTANDING OF THE CONDITIONS ENCOUNTERED SHALL NOT RELIEVE THE CONTRACTOR OF THE RESPONSIBILITY FOR CARRYING OUT ALL THE WORK TO COMPLETION AS SHOWN ON THE PLANS, OR AS SPECIFIED, AT THE PRICE SPECIFIED TO BE PAID FOR THE WORK. WHERE THE RESULTS OF ANY TEST BORINGS ARE SHOWN ON THE PLANS, THE INFORMATION IS NOT GUARANTEED AND THE CONTRACTOR MUST SATISFY HIMSELF AS TO THE CHARACTER OF MATERIALS THAT MAY BE ENCOUNTERED.


THE CONTRACTOR SHALL FOLLOW THE OSHA REGULATIONS 29 C.F.R. 1926 SUBPART P, FOR TRENCH SAFETY SYSTEMS. THE COST FOR TRENCH SAFETY SYSTEMS SHALL BE MERGED INTO THE PAY ITEM OF THE PRINCIPAL WORK WITH WHICH THE SAFETY SYSTEMS ARE ASSOCIATED. THE CONTRACTOR SHALL OTHERWISE BE RESPONSIBLE FOR SAFETY IN REGARD TO THE PROJECT'S CONSTRUCTION.

CULVER'S OF VALPARAISO

PROJECT DESCRIPTION

REDEVELOPMENT OF A PARCEL FOR THE CONSTRUCTION OF A CULVER'S RESTAURANT

CITY OF VALPARAISO



LOCATION MAP

PART OF VALPARAISO, INDIANA
SECTION 26, TOWNSHIP 35 NORTH, RANGE 6 WEST,
CENTER TOWNSHIP, PORTER COUNTY, INDIANA

THE PROPOSED CONSTRUCTION WILL BE LOCATED WITHIN THE 100 YEAR FLOODPLAIN, ZONE X, PER FEMA FLOOD MAP 18127C0204D, EFFECTIVE 9/30/2015.

INDEX OF PLANS

1 COVER SHEET

GENERAL NOTES

ALTA SURVEY

SITE DEMOLITION PLAN

SITE DIMENSIONAL PLAN

A AUTOTURN SKETCH

6 SITE GRADING PLAN

7 SITE UTILITY PLAN

8 SITE EROSION CONTROL PLAN

9 SITE UTILITY DETAIL SHEET

A1 BUILDING ELEVATION — 2D (BY OTHERS)

BUILDING ELEVATION — 3D (BY OTHERS)

A210 TRANSPARENCY ELEVATION (BY OTHERS)

FS1 FOOD SERVICE PLAN (BY OTHERS)

I.O SITE LANDSCAPE PLAN (BY OTHERS)

L1.1 SITE LANDSCAPE DETAILS (BY OTHERS)

SE101 SITE PHOTOMETRIC PLAN (BY OTHERS)

SE201 SITE PHOTOMETRIC DETAILS (BY OTHERS)

OWNER / DEVELOPER

S & L PROPERTIES VALPARAISO THORNAPPLE LLC 2651 KIRKING COURT PORTAGE, WI 53901


SURVEYOR / ENGINEER

SAM

2810 DEXTER DRIVE ELKHART, IN 46514

Preliminary Drawing — Not for Construction

JOB NUMBER: 1024092129





2810 Dexter Drive Elkhart, IN 46514 Phone: 574—266—1010 Email: info@sam.biz DRAWING FILE: 1 - COVER.DWG

CERTIFICATION DATE: 3/31/2025

HORIZONTAL SCALE: NONE

VERTICAL SCALE: NONE

SURVEYOR: Mikel Currier, P.S.

TECHNICIAN: SAL


PROJECT


SITE


COVER SHEET


S & L PROPERTIES VALPARAISO THORNAPPLE LLC 852 THORNAPPLE WAY PT. NW 1/4, SEC. 26, T35N, R6W CITY OF VALPARAISO, PORTER CO., INDIANA -SHEET 1

OF 18
























LEFT / (EAST) PERSPECTIVE RIGHT / (WEST) PERSPECTIVE






W CULVER'S RESTAURANT 52 Thornapple Way

Culver Franchising System, Inc 1240 Water Street
Prairie du Sac, WI 53578


OLLMANN ASSOCIATES ARCH 200 South State Street Belvidere, Illinois 61008 815-544-7790 Phone




HESE IMAGES HAVE PHOTO TES, THE ACTUAL BUILDING ARY IN APPEARANCE.

D IMAGES

TE: THOUGH THESE IMAGI
LISTIC QUALITIES, THE ACTED TO THE AC







20% Minimum Offset

17.3 feet | without | 8.65 feet

go 38.2 feet projection 19.1 feet longer 20 feet or recess 10 feet than 38.2 feet at least 19.1 feet

11.502 BUILDING DIMENSIONS

Secondary | Main Entry | East

Secondary Drive Thru West

Compass Length


43.3 feet

95.5 feet

50 feet 95.5 feet

NEW CULVER'S RESTAURANT
852 Thornapple Way
Valparaiso, IN 46385
County of PORTER

TRANSPARENCY ELEVATIONS & CALCULATIONS



234120 \$50.00 - CC PETITION TO VALPARAISO BOARD OF ZONING APPEALS: For Office Use Only: Petition #:VAL 25-007 This application is being submitted for (Check all that apply): Application Type DEV. STANDARDS VAA ☐ Use Variance ■ Development Standards Variance 450 000 Application Filing Fee: \$50,00 ☐ Special Exception/Special Use ☐ Relief to Administrative Decision Date Filed: 4 FILED Conditional Use Meeting: 5 ☐ Wireless Communications Facility APR 17 2025 SUBJECT PROPERTY INFORMATION TYPE OR PRINT IN INK Subject property fronts on the East & North Property Address: 1013 Elmhurst Ave side between (streets) Elmhurst Valparaiso Indiana 46385 & Hope Zoning District: NC 60 PETITIONER INFORMATION Applicant Name: Address: 1013 Elmhurst Ave Gordon Bailey Valparaiso Indiana 46385 Phone: 219-241-6670 Email: gordon.bailey@comcast.net PROPERTY OWNER INFORMATION Applicant Name: Address: 1013 Elmhurst Ave Gordon Bailey Valparaiso Indiana 46385 Phone: 219-241-6670 Email: gordon.bailey@comcast.net

SECTIONS OF UDO FROM WHICH A VARIANCE, SPECIAL EXCEPTION OR ADMIN RELIEF IS SOUGHT:

Item:

Item: ___

Article:__

Item:

Article: 2 Section: 302 Paragraph: ____Item: ___

Paragraph:

Article: _____Section: ____Paragraph: ____

Article:_____Section:____Paragraph:___

Section:

Article:

Paragraph:

Item:

Item:

Item:

Item:

Article: Section: Paragraph:

Article: ____Section: ____Paragraph: ___

Article: Section: Paragraph:

Section:

LEGAL DESCRIPTION OF SUBJECT PROPERTY: (OR EXHIBIT NO)
Chautaugua Park Lot 1 Block 6
DESCRIPTION OF PROPOSED PROJECT: (OR EXHIBIT NO)
Replace existing fence on North side of property which was damaged during construction of ADA compliant addition. Existing fence is chain link with slats and would be replaced with pvc/vinyll.

Variance from Development Standards Petitioner's Proposed Findings of Fact

(Please use fillable pdf, print neatly, or attach printed document.)

Petitioner submits that:

A.	The proposed variance from the Development Standards will not be injurious to the public health, safety morals, and general welfare of the community because:
	Please see attached
В.	The use and value of the area adjacent to the property included in the proposed variance will not be affected in a substantially adverse manner because:
	Please see attached
، C.	The strict application of the terms of the zoning ordinance will result in practical difficulties in the use of the property included in the proposed variance because:
	Please see attached


The petitioner carries the burden of proving to the Board of Zoning Appeals the existence of each and every one of the elements listed above.

- A. The proposed variance from the Development Standards will not be injurious to the public health, safety, morals, and general welfare of the community because:
- Traffic and Line of Sight: The proposed fence will not impede traffic flow or obstruct sightlines for drivers, pedestrians, or cyclists. The placement and height of the fence, although different from the previous fencing, have been designed to ensure that it does not interfere with visibility, preserving safe driving and pedestrian conditions on Hope Street for all.
- 2. **Beautification and Low Maintenance**: The new fence has been selected with an emphasis on enhancing the aesthetics of the area. Its design and materials are intended to improve the visual appeal of the surrounding environment, contributing positively to the neighborhood's overall appearance and character. Furthermore, a fencing of this type requires little to no upkeep and maintenance which is critical given our limited ability to physically maintain something that needs manual labor in order to maintain.
- 3. Preservation of Useable Space: The installation of the new fence does not reduce or interfere with the usable space available for the community. We only wish to replace the new fence material in the exact location of the current fence and can ensure that it does not obstruct common areas or limit access to any public spaces.
- B. The use and value of the area adjacent to the property included in the proposed variance will not be affected in a substantially adverse manner because:
 - The adjacent property is characterized by a sloped hill, which reduces the impact of the proposed fence on the neighboring area.
 - The area surrounding the property lacks sidewalks, and as such, there is minimal to no foot traffic in the immediate vicinity. With no regular pedestrian activity or pathways around the neighborhood, the fence will not interfere with the movement of residents or visitors of any neighbors or adjacent property.
 - Other properties in the neighborhood that have fences facing the road feature similar fence heights. The proposed fence will align with the established character of the area, ensuring that it does not create an inconsistency that would affect the aesthetic appeal or value of adjacent properties.

- C. The strict application of the terms of the zoning ordinance will result in practical difficulties in the use of the property included in the proposed variance because:
- Strict adherence to the zoning ordinance would require a setback that would result in the loss of approximately 200 square yards of valuable green space. This area is essential for landscaping, outdoor activities, and overall aesthetic appeal, and its reduction would significantly impact the livability and functionality of the property.
- Applying the zoning ordinance as it stands would place the fence too close to the house, making it more difficult to access and maintain. Leaving the fence in the current location would maintain extra space between the fence and the house preventing events such as vandalism which unfortunately we have experienced. A change of location would decrease the functionality of the area around the house particularly for routine activities such as maintenance, landscaping, and general use of the space.



Privacy Fence Location Per UDO




Does not include ADA home addition put in 2024.

VICINITY MAP



PROPERTY, FENCE VARIANCE LOCATION SHOWN IN RED





RESIDENTIAL

www.nwifenceco.com

DAMON COLBY,

PRESIDENT

- Proposal -

COMMERCIAL

NORTHWEST —INDIANA FENCE CO.

GUARD RAIL

West U.S. 130 1758 West Lincolnway Valparaiso, IN 46385 Ph: (219) 464-4207

Fax: (219) 465-1747

Proposal Submitted To: Gotdon Bailey	Phone: 24	11-6670	Date: 1-7-25
Address, City, State, Zip: 1013 Elmhurst St. Valparaiso 85	e-mail:	lon, bailey @ Co	omcast.net
Specifications: No. of Feet No. of Feet Height Find Post SxS Type FVC Comer Post SxS Coating Clay Gate Post Top Rail Top Rail Top Rail Wood Posts Wood Material Wood Posts Kenoval of 5 Chain Link is included. Quole #2-697 of 6 Clay Est-le is #4	0.D. 0.D. 0.D. 0.D. 0.D.	Sub Total 6, Sales Tax Total 6,30 Down Payment 6 Completion Balance Balance due within 10 days of completing the sales of the sale	006- 309- 8- #3154-
		Owners Re	sponsibilities
Contractor Responsibilities: All work performed in a workmanlike manner and in accordance with standard practices. All contingent upon strikes, accidents or delays beyond our control. To be licensed as require towns or counties as a contractor. Workers fully covered by Workmans Compensation.	red by cities.	Verify property lines and a Fees to be added if we are r	acquire necessary permits. required to obtain permit. to be cleared 3' to ground of
50'T		4. Dirt removal. For an addit hole, we can provide this se FOR NEW INSTALLS: 1. Owner to be present at st foreman. If unavailable, instance 2. Owner to be present at er payment with foreman. If unavoiding days to notify NWI F which time balance would be These responsibility.	tional fee of \$ 25 per ervice. Accept Dirt Service Y/N tart to verify layout with all will be as drawn. Ind for final inspection and available, owner has 3 Fence of issues with install at
Home		Acceptance of Prop The above prices, specifications and hereby accepted. You are at specified. I understand that I hav After that 10% of the TOTAL con cancellation fee. Special order m	and conditions are satisfactory uthorized to do the work as he three(3) working day to cancel. heract amount will be retained as a
More or less material other than amount contracted for will be debited or credited at current rate.			
This proposal becomes a contract when accepted by both parties:		Signature	
Authorized Signature	Signature		
Proposal may be withdrawn after 30 days if not accepted.		Date	

Builey, Gordon

RESIDENTIAL

www.nwifenceco.com

Proposal COMMERCIAL

Northwest

GUARDRAIL

Date: 5-6-25

West U.S. 130 1758 West Lincolnway Valparaiso, IN 46385 Ph: (219) 464-4207

Fax: (219) 465-1747

DAMON COLBY, PRESIDENT

Proposal Submitted To: Gordon B	Gordon Bailey 241-6670			Date		
Address. City. State, Zip- 1013 Elmhurst St. Valj	paraiso 46385	e-mail: g(ordo	n.bailey@co	mcast.	net
	Size:Line Post 5 X 5	0	.D.	Sub Total	\$ 1,3	21
	End Post 5 x 5 Corner Post 5 x 5	o		Sales Tax	\$	51
Coating Clay	Gate Post	0	1	Total	\$ 1,3	72
Gauge Solid Style Privacy	_{Top Rail} 1 3/4" x 5 1/2" _{Caps} Pyramid (Flat)	0	.D.	Down Payment		
·	8		-	Completion Balance		ce _
Wood Material	Wood Posts		Batance due within 10 days of completion 1,5% finance charge. Any lawyer and col outstanding debt, will be		d court f	
			_	Own	ore Re	senc

Sub Total	\$ 1,321		
Sales Tax	\$	51	
Total	\$ 1,3	372	
Down Payment \$ 686			
Completion Balance \$ 686			

Balance due within 10 days of completion. Any variance will incur a MONTHLY 1.5% lineance charge. Any liawyer and court fees incurred trying to collection outstanding debt, will be at buyers expense.

Fees to be added if we are required to obtain permit.


2. Pending fence line needs to be cleared 3' to ground of

3. Locate and mark PRIVATE utilities and sprinkler lines. Not liable for damages to unmarked utilities and lines. 4. Dirt removal. For an additional fee of \$25 per

Accept Dirt Service Y/N

Owners Responsibilities Verify property lines and acquire necessary permits.

Contractor Responsibilities:



All work performed in a workmanlike manner and in accordance with standard practices. All agreements contingent upon strikes, accidents or delays beyond our control. To be licensed as required by cities, towns or counties as a contractor. Workers fully covered by Workmans Compensation Insurance.

> These responsibilities have been fully explained to me and I accept them.

FOR NEW INSTALLS:

Signature:

all landscaping prior to installation.

hole, we can provide this service.

- 1. Owner to be present at start to verify layout with foreman. If unavailable, install will be as drawn.
- 2. Owner to be present at end for final inspection and payment with foreman. If unavailable, owner has 3 working days to notify NWI Fence of issues with install at which time balance would be due.

Acce	ptance	of Pr	oposal
------	--------	-------	--------

The above prices, specifications and conditions are satisfactory and hereby accepted. You are authorized to do the work as specified. If understand that I have three(3) working day to cancel. After that 10% of the TOTAL contract amount will be retained as a cancellation fee. Special order materials are non-refundable

Signature	
Signature	
Date	

More or less material other than amount contracted for will be debited or credited at current rate

This proposal becomes a confract when accepted by both parties:

Authorized Signature

Proposal may be withdrawn after 30 days if not accepted.

1013 Elmhurst -NORTH FACING-



1013 Elmhurst Ave. -WEST FACING-

1014 E. Elmhurst Au Jorner of Elmhurst and Hope

-NORTH FACING-

énce Approved 6-14-2018 318-0459




705 ELMHURST CORNER OF GROVE and ElmHURST -South Facing-



486 Ridgeland Corner OF MADISON and Ridgeland "- Facing WEST -





1021 MADISON

1021 MADISON Corner of MADISON and Hope - SOUTH FACING -

1014 EIMHURST —
CORNER OF
HOPE and EIMHURST
- NORTH AND
WEST FACING -

H86 Ridgeland Corner of Madison and Ridgeland - Facing WEST-




1021 MADISON

CORNER OF

MADISON and Hope

- South Facing -



662 Lincolnway
Corner of Madison
and Lincolnway
- Facing WEST-



557 Chestnut

Corner of WESTON and Chestnut

- Facing WEST -




714 Elmhurst Corner of BOND and Elmhurst - Facing North.




201 Madison Corner OF Madison and Chicago

- Facing South-



1021 Madison Corner of Madison and Bond Facing East and South -



955 Milton Corner of Milton and Ridgeland - Facing NORTH -





313 Elmhurst Corner OF Prospect and Elmhurst - Facing North-



PETITION TO VALPARAISO BOARD OF ZONING APPEALS:	For Office Use Only:	
This application is being submitted for (Check all that app	ly): Petition #:	
☐ Use Variance☑ Development Standards Variance	Application Type:	
☐ Special Exception/Special Use	Application Filing Fee:	
Relief to Administrative DecisionConditional Use	Date Filed:/	
☐ Wireless Communications Facility	Meeting:/	
SUBJECT PROPERTY INFORMATION	TYPE OR PRINT IN INK	
Property Address:	Subject property fronts on the Northwesterly	
1058 South State Road 2	side between (streets) Morthland (Hwy 30)	
Valparaiso, IN 46383	& Horse Prairie Ave.	
	Zoning District: CG (Commercial General)	
Zoning District: CG (Confinerdal General)		
PETITIONER INFORMATION		
Applicant Name:	Address:	
Luke Land, LLC / Daniel Tursman	3592 N. Hobart Rd.	
Phone:	Hobart, IN 46342	
219-654-4821		
Email:		
dtursman@lukebrands.com		
PROPERTY OWNER INFORMATION		
Applicant Name:	Address:	
DH Retail Investments, LLC	978 Theresa Dr.	
Phone:	Crown Point, IN 46307	
219-808-4075		
Email:		
corydetamore@gmail.com		
SECTIONS OF UDO FROM WHICH A VARIANCE, SPECIAL I	EXCEPTION OR ADMIN RELIEF IS SOUGHT:	
Article: 11 Section: 502 Paragraph: A Item:	Article: 11 Section: 506 Paragraph: A Item:	
Article: 11 Section: 502 Paragraph: B Item: 1a	Article: 2 Section: 552 Paragraph: B Item: 2	
Article: 11 Section: 503 Paragraph: A Item: Article: 2 Section: 403 Paragraph: D Item:		

Article: 11 Section: 503 Paragraph: B Item:

Item:

Article: 9 Section: 403 Paragraph: B

LEGAL DESCRIPTION OF SUBJECT PROPERTY: (OR EXHIBIT NO)
SEE ATTACHED
DESCRIPTION OF PROPOSED PROJECT: (OR EXHIBIT NO)
Raze existing improvements and redevelop site for new approximately 4,000 SF Convenience Store with Fuel Canopy and (6) Fuel Service Pumps.

Variance from Development Standards / Petitioner's Proposed Findings of Fact

Petitioner submits that:

- A. The proposed variance from the Development Standards will not be injurious to the public health, safety, morals, and general welfare of the community because:
 - a. 9.403(B): A traffic study has been performed to evaluate traffic impact and safety. The proposed driveway location meets the INDOT standards and allows for safe ingress and egress of the site.
 - b. 2.403(D)(2), 11.502, 11.503(A), and Table 11.506: Architectural design elements do not have an impact on the public health and safety. All state and local building codes as well as ADA requirements will be met.
- B. The use and value of the area adjacent to the property included in the proposed variance will not be affected in a substantially adverse manner because:
 - a. 9.403(B): A traffic study has been performed to evaluate traffic impact and safety. The proposed driveway location will not have a negative impact to the adjacent property's access to the right of way.
 - b. 2.403(D)(2) / 2.552(B): The proposed color of the canopy fascia will better match the brand standard colors of the building façade. Architectural details of the building will be carried over to the canopy (masonry piers), resulting in a cohesive design aesthetic.
 - c. 11.502(A) & 11.503(A): Reduction in the allowable length of uninterrupted horizontal dimension and increase in the horizontal spacing of architectural features will not hinder the appeal of the proposed building. Architectural details and offsets have been included in the design at all elevations visible from neighboring properties.
 - d. Table 11.506: Reduction of Transparency along the front façade will obscure views from adjacent areas into undesirable areas of the building (i.e. Restrooms, storage areas, etc.)
- C. The strict application of the terms of the zoning ordinance will result in practical difficulties in the use of the property included in the proposed variance because:
 - a. 2.403(D)(2) / 2.552(B): The white or black fascia colors allowed for in the ordinance do not coordinate with the color scheme of the brand. Use of these colors in the fascia would result in an unfinished appearance.
 - b. 9.403(B): The adjacent property's drive entrance is located at the property line. The proposed drive entrance for this project is located at the farthest point away from the adjacent property; however, it does not meet the minimum spacing requirements. Access to the state highway will require approval and permitting from the Indiana Department of Transportation. All INDOT requirements will be met.
 - c. 11.502(A) & 11.503(A.): The functionality of certain design elements limit the placement of wall offsets and architectural features in certain areas. Adherence to the maximum uninterrupted horizontal dimension and architectural feature spacing would result in lost functionality of the space and not allow appropriate clearance for other permitted features (i.e. signage).
 - d. Table 11.506: There are no other practical areas to relocate the restrooms and unsightly storage areas necessary for the operations of the facility.

The petitioner carries the burden of proving to the Board of Zoning Appeals the existence of each and every one of the elements listed above.





Luke Store #227 1058 S. SR 2, Valparaiso, IN Concept Plan

ALTA/NSPS LAND TITLE SURVEY

PARCEL DESCRIPTION (PER EXHIBIT "A" IN TITLE COMMITMENT REFERENCED HEREON):

PARCEL 1:

A PARCEL OF LAND IN THE NORTHWEST 1/4 OF SECTION 2.5, TOWNSHIP 35 NORTH, BANGE 6 WEST OF THE SECOND PRINCIPAL MERIDIAN IN PORTER COUNTY, INDIANA, SOUNCED AND DESCRIBED AS FOLLOWS: COMMERCING AT A POINT ON THE WEST LIKE OF SAD NORTHWEST 1/4 WINICH IS 150.00 FET? NORTH OF THE SOUTHWEST COMEN OF SAD NORTHWEST 1/4, THEYER TOWNST 1/4, THEY SAD THEY SAD NORTHWEST 1/4, THEY SAD THE SAD THEY SAD THE SAD THEY SA MINUTES 53 SECONDS WEST A CHORD LENGTH 274.46 FEET; THENCE SOUTH 89 DEGREES 20 MINUTES 40 SECONDS WEST, 288,79 FEET TO THE POINT OF COMMENCEMENT.

PARCEL 2:

A RARCEL DE LAND IN THE NORTHWEST QUARTER AND THE SOUTHWEST QUARTER OF SECTION 25,
TOWNSHIP 35 NORTH, RANGE 6 WEST OF THE SECOND PRINCIPAL MERIDAN, IN PORTER COUNTY,
MODANA, BOUNDED AND DESCRIED AS FOLLOWS: COMMENCING AT THE SOUTHWEST CORNER OF
THE NORTHWEST QUARTER, THENCE NORTH OF DEGRESS OF MINITES OS SECONDS EAST, ARRALLEL
TO THE SOUTH LINE OF SAID MORTHWEST CORNER, 28,87.9 FEET OF THE WISTERN AGENT OF MERIDAN AND THE SAID WIST OF THE WISTERN AGENT OF THE MOST WAS MORTH AS DEGRESS OF THE MERIDAN AGENT OF THE MOST MADER
MORE OR LESS, TO AN INTERSECTION WITH THE WEST LINE OF SAID SOUTHWEST QUARTER, THENCE
NORTH, ALONG SAID WEST LINE AS FEET MORE OR LESS, TO THE POINT OF COMMENCEMENT, A
PORTION OF THE PARCEL DESCRIED ARBUSE FALLS WITHIN BLOCK 44 OF COUNCIL'S ADDITION OF THE STATE OF THE PROPERTY TAKEN BY THE STATE OF INDIANA UNDER CAUSE NO. 64002-1910-PL-01013 NO DESCRIBED PROPERTY TAKEN BY THE STATE OF INDIANA UNDER CAUSE NO. 64002-1910-PL-010133, RECORDED SEPTEMBER 21, 1202 AS DOCUMENT NO. 2020-024448 AND DESCRIBED AS FOLLOWS: DESCRIBED PROPERTY YAKEN BY THE STATE OF INDIANA LINDER CALLES NO. 64002-1930-PH-001013; RECORDIO SEPREMBER 21, 2020 AS DOCUMENT NO. 2020 DOCAME AND DESCRIBED AS POLICIONS: A WRICEL OF LAND LOCALED IN THE WEST HALL ON SECTION 25, TOWNSHIP SENDERS, TOWNSHIP, DANNER OF METS OF THE SECONOMY PROBLEM REPRODUCED TO A SECTION 25, TOWNSHIP SENDERS, DANNER COLLINY, DUBLAN, BEING METS OF THE SECTION AS A PROBLEM OF THE SECTION

PARCEL INFORMATION:

PARCEL 1 TAX ID. NO. 64-09-25-152-003-000-004 OWNER: LAKE COUNTY TR TRUST NO. 4692 DOC. NO. 1996-06581 BOOK 466, PAGE 173 REC. MARCH 11, 1995

PARCEL 2 TAX ID. NO. 64-09-25-152-005-000-004 OWNER: LAKE COUNTY TRUST TRUST NO. 4892 DOC. NO. 7001-0103/79 REC APRIL 24, 2001

PARCEL AREA

PARCEL 1 85,869 SQ: FT.± 1.97 ACRES! PARCEL 2 39,935 SQ: FT.± 0.92 ACRES± TOTAL AREA: 125,804 SQLFT± 2.89 ACRESE

AUTA/NSPS OPTIONAL TABLE "A" SURVEY RESPONSIBILITIES AND SPECIFICATIONS ITEM NOTES!

ITEM 1: MONUMENTS SET OR FOUND ARE SHOWN HEREON.

ITEM 2: ADDRESS SHOWN HEREON WAS PROVIDED FROM AUDITOR RECORDS AND OBSERVED ON THE BUILDING FOR PARCEL 1 (1658).

THE BUILDING FOR PARCET TIDOS.

THEN 3 - FLOOD COME DESIGNATION. THE ACCURACY OF ANY FLOOD HAZARD DATA SHOWN ON THIS FRATT'S SUBJECT TO MAN'S SCALE UNCERTAINTY AND TO ANY OTHER UNCERTAINTY IN LOCATION OR ELEVATION ON THE FLOOD ON ADAMANCE RATE MAN, (FIRM). THE SUBJECT PARCES DESCRIBED IN THE PARCEL DESCRIPTION SHOWN HEREON APPEARS TO JE WITHIN.

ZONE "Y UNSHADDED LARGES OFFERNINEED TO BE OUTSION THE O.2% ANNUAL CHÂNCE FLOODPLÂNI), ZONE "S SHADDED (AREA OF 0.2% ANNUAL CHÂNCE FLOODPLÂNI), ZONE "S SHADDED (AREA OF 0.2% ANNUAL CHÂNCE FLOODPLÂNI), AND AREAS OF STAR ANNUAL CHÂNCE FLOOD THE MAN FLOOD ELEVATIONS EST THAN I SCULARE MILE, AND AREAS OF IZES TIMEN I SOUTH ME SENDOD ELEVATIONS OF THE MANNUAL CHÂNCE FLOOD CONTROL CHÂNCE FLOOD CHÂN MANNUAL CHÂNCE FLOOD CONTROL CHÂNCE FLOOD CHÂN MANNUAL CHÂNCE FLOOD CHÂN MAN FLOOD ELEVATIONS OF THE MANNUAL CHÂNCE FLOOD CHÂN MAN FLOOD ELEVATIONS OF THE MANNUAL CHÂNCE FLOOD CHÂN MAN FLOOD ELEVATIONS OF THE MANNUAL CHÂNCE FLOOD CHÂN MAN FLOOD CHÂN MA

ITEM 4: SUBJECT PARCEL LAND AREA IS SHOWN HEREON.

ITEM 5; VERTICAL RELIEF - ELEVATIONS AND THE RESULTING CONTIQUES [1-FOOT INTERVAL UNLESS GTHERWISE SPECIFIED) SHOWN HEREON WERE MEASURED ON THE GROUND THIS SURVEY AND ARE REFERENCED IO A STATEWING EAST SEFERING STATION ENTEWORK ROWN AS INCORD SHICK IS MAINTAINED BY THE INDUMAN SEPARTMENT OF TRANSPORTATION USING THE NORTH AMERICAN VERTICAL DATUM OF 1988.

ITEMS 7(a): EXTERIOR DIMENSIONS OF ALL BUILDINGS AT GROUND LEVEL ARE SHOWN HEREON.

ITEM 9: STRIPING OF CLEARLY IDENTIFIABLE PARKING SPACES ON SURFACE PARKING AREAS AND LOTS, FARKING TYPES, AND THE NUMBER OF SPACES ARE SHOWN HEREON. THE NUMBER OF VISIBLE SPACES WERE OSESFAYED.

76 REGULAR PAINTED PARKING SPACES
3 HANDICAP PAINTED PARKING SPACES

3 HANDICAP PAINTED PARKING SPACES

TEM \$100; COCATION OF UTILITIES EXISTING ON OR SERVING THE SURVEYED PROPERTY WAS DETERMINED BY OSSERVED EVIDENCE AND EVIDENCE FROM PLANS REQUESTED BY THE SURVEYOR AND DESIRABLE FROM UTILITY COMMANIS ON PROVIDED BY CLIENT TO DEVELOP A YEAR OF AND OTHER PROPERTY OF THE PROPERTY OF THE

ITEM 13: NAMES OF ADJOINING OWNERS ACCORDING TO PUBLIC RECORDS ARE SHOWN HEREON.
PARCELS IDENTIFIED BY TITLE DESCRIPTION OF ACCORDING TO PUBLIC RECORDS ARE SHOWN HEREON. PAIRCELS IDENTIFIED BY TITLE DESCRIPTION OR RECORDING TO PUBLIC RECORDS ARE SHOWN REBON
PAIRCELS IDENTIFIED BY TITLE DESCRIPTION OR RECORD REPRENCES AS PER ABS (M. 2-12-34-11)
ARE OBTAINED FROM COUNTY AUDITORS OFFICE AND OR RECORDERS OFFICE AND ARE NOT
CERTIFIED. THE INFORMATION MAY OR MAY NOT RESPENCES THE MOST CURRENT DEED OF RECOR
OR THE MOST CURRENT STATUS OR TITLE FOR THAT PARCEL A TITLE COMMITMENT OR ABSTRACT
MAY BE RECESSED.





TITLE COMMITMENT NOTES

THIS SURVEY DOES NOT CONSTITUTE A TITLE SEARCH BY THE SURVEYOR, ALL INFORMATION REGARDING RECORD EASEMENTS AND OTHER DOCUMENTS WHICH MIGHT AFFECT THE DUALITY OF ALEGAMONIS RECORD EASIMMS AND OTHER OCCUMENTS WHICH MIGHT AFFECT THE LOGARY TILLE OT THE PROJECT, SHOWN HEREON WAS GAINED FROM A TITLE HEAVANCE COMMITMENT NUMBER IND. 1793-7 ISSUED BY GHEATER INDIANA TITLE COMMINM, ON APPL 11, 2024. THE COLLOWING EAGEMENTS, GEFOR C WINS AND SUBVEY SELECT WATER CORRESPOND TO THE TIETMS NUMBERED IN SECRET CHEMICAL STREET SHOWN THE PROJECT OF THE PROJET OF THE PROJECT OF TH

ITEM 13 LEASEHOLD INTEREST OF LAMAR ADVERTISING COMPANY UNDER AND BY VIRTUE OF MEMORANDUM OF LEASE RECORDED AS DOCUMENT NO. 2006-010587 - AFFECTS SUBJECT PARCEL 2 - BLANKET IN NATURE - PHYSICAL LOCATION OF SIGN SHOWN HEREON.

(TEM 34. LEASEHOLD INTEREST OF LAMAR ADVERTISING COMPANY UNDER AND BY VIRTUE OF MEMORANDUM OF LEASE RECORDED AS DOCUMENT NO. 2005-003044 - AFFECTS SUBJECT PARCEL 2 - ALIANKET IN NUTURE PHYSICAL LOCATION OF SIGN SHOWN HEREON

ITEM 15. LEASEHOLD INTEREST OF LAMAR ADVERTISING COMPANY UNDER AND BY VIRTUE OF MEMORANDUM OF LEASE RECORDED AS DOCUMENT NO. 2014-033-031. AFFECTS SUBJECT PARCEL 2: BLANKET IN NATURE PHYSICAL LOCATION OF SIGN SHOWN HEREON

SURVEY REFERENCES

- SURVEY CORNER RECORDS FOR QUARTER SECTION CORNERS, 33075, 33073, 37075 AVAILABLE FROM THE PORTER COUNTY SURVEYOR'S OFFICE.
- PLAT OF SURVEY OF SUBJECT PARCELS, PREPARED BY EMIL BEEG, LAND SURVEYOR, INC., PLAT/FILE NUMBER 1735 DATED MARCH., 1991, AVAILABLE FROM THE PORTER COUNTY SURVEYOR'S OFFICE.
- ALTA/NSPS LAND TITLE SURVEY OF NORTH ADJOINER PREPARED BY DVG TEAM INC. AS JOB NUMBER 23-0015 DATED AUGUST 2R, 2023.

IN ACCORDANCE WITH TITLE 865, ARTICLE 1.0, CHAPTER 12.0F THE INDIANA ADMINISTRATIVE CODE, THE FOLLOWING OBSERVATIONS AND OPINIONS ARE SUMMITTED REGARDING THE VARIOUS UNCERTRATURES IN THE LUCKTION OF THE LIBES AND CORNERS ESTABLISHED OR RESTABLISHED ON THIS SUMMEY THIS PLAT REPRESENTS A RETRACEMENT SURVEY OF LAND DISCRIBED IN DOCUMENT NUMBER'S 1969-6964, 2001 DIOSPIA & 2000 ORACH RETERICLE OF HERD.

THEORY OF LOCATION: THIS SURVEY IS BASED ON MONUMENTS FOUND AT SUBJECT PARCEL. CORNERS WHICH WERE HELD FIRED FOR POSITION AS MOTED. SAID MONOMENTS WERE USED AS THE BEST ANALIBLE EVIDIONE OF RETRACTIONS THE SUBJECT PARCEL LINES.

A.) CONDITION OF FOUND REFERENCE MONUMENTS: UNLESS OTHERWISE STATED ON THIS PLAT, REFERENCE MONUMENTS WERE FOUND UNDSTRUBRED, AT OR NEAR GRADE AND OF UNKNOWN ORIGIN. THE MONUMENTED MORTH LINE OF THE MORTH-WEST QUARTER OF SECTION 25 COMPARIED TO THE SECTION FOUND AND MAKEJURED MONUMENTS FERRETURED THE FORTER COUNTY SURVEYORS OFFICE. UNCERTAINTY IN LOCATION OF FOUND MONUMENTS OCCURRED UP TO 0.7 FEET IN AN BIRTH-WOUND MONUMENTS OCCURRED UP TO 0.7 FEET IN AN BIRTH-WOUND MONUMENTS OCCURRED UP TO 0.7 FEET IN AN BIRTH-WOUND FOUND MONUMENTS OCCURRED UP TO 0.7

1.) THERE ARE WATER UTILITIES NEAR THE EAST LINE OF SUBJECT PARCEL 1 (SHOWN HEREON). 2.) THERE IS A LIGHT POLE WITH CONCRETE BASE ON OR NEAR THE NORTH LINE OF SUBJECT PARCEL 1 (SHOWN HEREON).

3.) THERE IS A CONCRETE DEBRIS OVER THE WEST LINE OF PARCEL 2 NEAR SOUTHWEST CORNER (SHOWN HEREON).

C.) APPARENT UNCERTAINTIES DUE TO RECORD DESCRIPTIONS ARE AS FOLLOWS: THE RECORD SUBJECT DEED AND ADJOINER DEED DESCRIPTIONS ARE IN HARMONY WITH EACH OTHER.

D.) THE RELATIVE POSITIONAL ACCURACY (DUE TO RANDOM ERRORS IN MEASUREMENTS) FOR THIS SURVEY BASED ON EQUIPMENT AND PROCEDURES USED, WAS WITHIN THE ALLOWABLE (0.07 FEET PULS 50 ARTS PER MILLION) FOR AN URBAN SURVEY, PER 805 MC-71-7.7

TO: M-DETAILS; GREATER INDIANA TITLE COMPANY:

THIS IS TO CERTIFY THAT THIS MAP OR PLAT AND THE SURVEYON WHICH IT IS BASED WERE MADE IN ACCORDANCE WITH THE 2021 MINIMUM STANDARD DETAIL REQUIREMENTS FOR ALTA/NSPS LAND TITLE SURVEYS, JOINTLY ESTABLISHED AND ADOPTED BY ALTA AND NSRS, ALIANNE'S LAND TITLE SURVEYS, JOIN LIVES SESSION ADDITIES STIAIN AND INSCLUDES ITEMS 1, 2, 3, 4, 7(a), 8, 9, 11(a) AND 13 OF TABLE A THEREOF. THE FIELD WORK WAS COMPLETED ON MAY 23, 2024, FURTHER STATE THAT SURVEY WAS PERFORMED IN ACCORDANCE WITH THE GUIDELINES SET IN TITLE 865 IAC 1-12 (RULE 12):

ROFESSIONAL LAND SURVEYOR: GLEN E. BOREN NOIANA REGISTRATION NUMBER: 1520000006






TITLE SURV I STATE ROAD 2 IN 46383 1/4 SEC. 25-35-6 ALTA/NSPS LAND 1054 & 1058 SOUTH S VALPARAISO, IN PART OF NW 1/4 & SW 1



M-DETAILS LLC

IS CONVEIGH	DVC TEAM, INC
\2403	gwiz. 1-N 08
FB/PC	FILE NO.
DRAWN BY	6/11/24
SECTION 25-35-6	PORTER, IN
jos No. 24-	0330



Proposed Site Plan



VICINITY MAP

Legal Description: (Per Title Commitment)

Parcel 1:

A parcel of land in the Northwest Quarter of Section 25, Township 35 Morth, Ronge 6 West of the Second Principal Meridian in Porter County, Indiana, bounded and described as follows: Commencing at a point on the West line of 3 said Northwest Courter which is 195 feet North of the Southwest corner of said Northwest Quarter; thence North 00 degrees 00 minutes 00 seconds East along said West line, 236 feet; thence North 89 degrees 20 minutes 40 seconds East pouth line of said Northwest Quarter, 426.23 feet to the Westerly right-of-way line of Stote Road §2; thence Southwesterly along said right-of-way line of chord begring of South 30 degrees 02 minutes 35 seconds West at chard leight 724.46 feet; thence South 89 degrees 20 minutes 40 seconds West, 288.79 feet to the Point of Commencement.

degrees 20 minutes 40 seconds West, 288.79 feet to the Point of Commencement.

Parcel 2:

A parcel of land in the Northwest Quarter and the Southwest Quarter of Section 25, Township 35 North, Ronge 6 West of the Second Principal Meridian, in Porter County, Indiana, Bounded and described as follows: commencing at the Southwest corner of the Northwest Quarter, thence North 50 degrees 00 minutes 40 seconds East, ported to the Southwest County and Seconds East, ported to the South line of said Northwest Quarter, 288.79 feet to the Westerly right-of-way line of Store Road \$2, thence Southwesterly, along add right-of-way line, 400 feet, more or less, to an intersection with the West line of said Southwest Quarter, thence North, plang said West line 55 feet, more or less, to the Part of Commencement. A portion of the ported described obere falls within Block 40 of Council's Addition of 1883 to the toen (new city) of Volpardiso). Excepting therefrom the following described properly token by the state of Motiona under cause §64002-1910-Pt-0-1013X, Recorded September 21, 2020 as Document §2020-024448 and described as follows: a parcel of land located in the West half af Section 25, Township 35 North, Range 6 West of the Second Principal Medialor, Center Township. Porter County, Indiana, behing more particularly described as follows: commencing at the Northeast corner of the Southeast Quarter of Section 25, along the West line of the Grandor's land, a distance of 65.56 feet to the beginning of a non-tongent curve concein to the Northwest, having a radius of 1166.16 feet and a delta angle of 18 degrees 0 minutes 32 seconds, to which beginning of curve a rodal bears North 34 degrees 14 minutes 33 seconds East (Pote) to the Northwest, having a radius and degrees 30 minutes 33 seconds West, being the Point of Beginning, thence Northwestering as said curve a rodal bears North 34 degrees 30 minutes 38 seconds West, being the Point of Beginning of curve arodal bears North 34 degrees 30 minutes 38 seconds West, being the control

Zoning Information

CG - General Commercial

PARKING ANALYSIS

LIGHT AUTOMOTIVE - GAS STATION Parking based on 1 per 20,000 sf plus 1 parking space per 2 pump stations

6 spaces (12 stations)

7 TOTAL PARKING SPACES REQUIRED

17 PARKING SPACES 2 HANDICAP SPACES


19 TOTAL SPACES PROVIDED


- 2. Site curbs shown are 6-inch barrier curb, unless otherwise noted
- 3. See Photometric and Landscape Plan by Others.



III.

May 7, 2025





dir.	JUL JUL	PERENNIAL PLANTING
W	W/ W	2º MULCH
		HAND LODSEN AND PULL ROOTS OUT OF CONTAINER MATERIAL TO PREVENT PLANT FROM BECOMING ROOT BOUND 6* AMENDED TOPSOIL MIX
11 27		

- SEE SHEET LING FOR LANDSCAPE PLANTING LOCATIONS.
- THE LANDSCAPE CONTRACTOR SHALL OBTAIN AND PAY FOR ALL PERMITS AND FEES THAT MAY BE REQUIRED FOR HIS PORTION OF WORK ESTIMATED SCHEDULE FOR PLANTING IS FALL 2025.
- IN CASE OF DISCREPANCIES BETWEEN THE PLAN AND THE PLANT LIST, THE GRAPHIC SYMBOLS SHOWN ON THE PLAN SHALL DICTATE.

- 4. ALP JAMI MATERIALS SHALL MEET ON EXCRED THE AMERICAN STANDARDS FOR NURSERY STOCK, 1986 EDITION, AS SET FORTH BY AMERICAN ASSOCIATION OF NURSERY WEN.
 4.2. PLANTS SHALL BE SOUND, HEALTHY, VIGOROUS, AND FREE FROM INSECT FESTS, PLANT DISEASES, AND INJURIES PLANTS BRALL BE SOUND, TO OR EXCRED THE MEASUREMENTS SPECIFIED IN THE PLANT UST.

 4.3. TREES SHALL JAME STRAIGHT TRUNK WITH LEADER NYTACT, UNDMANAGED AND UNCUT. BRANCHING MUST BE WELL DEVELOPED.
- 4.4. ALL PLANT MATERIAL AND SEED SHALL BE PROVIDED FROM A NURSERY (WITHIN 200 MILES) WITH A SIMILAR PLANT HARDINESS ZONE AS PROJECT LOCATION.
- HARDINESS ZONE AS PROJECT LOCATION.

 OS SUBSTITUTIONS OF PLANT MATERIALS WILL BE ALLOWED. IF PLANTS MAE NOT AVAILABLE, THE CONTRACTOR SHALL MOTHEY LANDSCAPE ARCHITECT PRIOR TO BOT IN WATTING. ALL PLANTS SHALL BE RESPECTED AND TAGGED WITH PROJECT ID. AT NURSERY OR CONTRACTIONS OPERATIONS PRIOR TO MOUNG TO ADD SITE. PLANTS MAY BE INSPECTED AND APPROVED OR REJECTED ON THE JOB SITE BY LANDSCAPE ARCHITECT.
- LANDSCAPE CONTRACTOR SHALL NOTHY LANDSCAPE ARCHITECT IN WRITING PRIOR TO BIO DATE OF ANY PLANTS HEISHE FEELS MAY NOT SURVIVE IN LOCATIONS NOTED ON PLANS 4.5

5. TOPSOIL & PLANTING MIXTURES:

- 5.1. CONTRACTOR SHALL ENSURE THAT SOIL CONDITIONS AND COMPACTION ARE ADEQUATE TO ALLOW POR PROPER DRAWAGE AROUND THE CONSTRUCTION STE. UNDESHABLE CONDITIONS SHALL BE BROUGHT TO THE ATTENTION OF THE LANGSCAPE ARCHITECT PRIOR TO BEGINNING OF WORK IT SHALL BE THE CONTRACTOR'S RESPONSIBILITY TO ENSURE PROPER SURFACE AND SUBSURFACE DRAWAGE BY ALL AREAS.
- SALVAGE TOPSOIL FROM THE EARTHWORK AREAS AS APPROPRIATE AND/OR AS DIRECTED BY LANDSCAPE ARCHITECT AND STOCKPILE FOR REUSE IN LOCATION APPROVED BY OWNER.
- TOPSOL STALL BE MATERIALS CONSISTING OF PERTILE, FRANCE, FIND SANDY LOAM, UNFORM IN COMPOSITION AND FREE OF SURSOL, STONES, LIMPS, LOAD OF MAND EARTH, RAVES, PLAYT ROOTS, STONES, NOXIOLIS WEEDS, SLAG. CRIDERS, DEMOLITION DEBRIS OF OTHER EXTRANSOLS MATER OVER "IN LARGEST BRINKHISTON."
- EXISTING TOPSOIL SHALL BE PREPARED BY THOROUGHLY MIXING IN ORGANIC MATTER AT THE RATE OF 13 VOLUME OF SOIL REPLACED.
- 54.1. ADJUST SOIL TO A 6H OF 60 TO 65.
- ORGANIC MATTER: 4% MIN. 10% MAX. AVAILABLE PHOSPHORUS: 25 PPM. MIN EXCHANGEABLE POTASSIUM: 125 PPM. MIN
- PEATMOSS TO BE USED ON PROJECT SHALL BE COMESTIC ON IMPORTED MATERIAL. CHOCOLATE BROWN IN COLOR AND COMPOSED OF PARTIALLY DECOMPOSED VEGETABLE MATERIAL. PEAT MOSS TO SE MILDLY ACTION IN CHARACTER AND SHALL BE APPROVED BY LANGEONE ADCHITECT. 5.5
- SEED A SOD AREAS SHALL RECEIVE A MINIMUM OF 4" DEPTH OF TOPSOIL PLANTING BEDS SHALL RECEIVE MINIMUM 6" DEPTH OF AMENDED TOPSOIL.

5. MULCH MATERIALS

- ALI MULCH MATERIALS SHALL BE PROCESSED DOUBLE SHREDDED HAROWOOD BARK MULCH OF UNIFORM SIZE. NO UTILITY MULCH OF PROCESSED THEE TRIMMINGS WILL BE ALLOWED. SIGHAM FAMILE TO ARCHITECT.

 MULCH SHALL BE 3 NOT HADDRES MINIMING WORRAGE IN ALL MEAS OF THEE PTS OF FLATTING BEDS, UNLESS
- 53, MULCH SHALL BE HELD 1" BELOW SURFACE ELEVATION OF DOWNHILL SIDE OF WALK, SLAB, CURB, LAWN, ETC.

B. LANDSCAPE BED EDGING:

6.1 ALL LANDSCAPE BED EDGING GHALL BE SHOVEL OUT SPACE EDGE BETWEEN LAWN AREAS, UNLESS OTHERWISE NOTED.

- CONFIRM LOCATION OF ALL UNDERGROUND UTILITIES PRIOR TO START OF CONSTRUCTION
 PLANTS AND ALL CHIEFE MATERIALS TO BE STORED ONLY BY PLACE WHERE THEY WILL NOT CONFILICT WIL
 CONSTRUCTION OPERATIONS AND AS DISSECTED BY LANDSCAPE ASCIPIECT
- EXISTING TREES FOUND ON SITE SHALL BE PROTECTED AND SAVED UNLESS NOTED TO BE REMOVED OR ARE LOCATED IN AN AREA TO BE GRADED QUESTIONS REGARDING EXISTING PLANT MATERIAL SHALL BE BROUGHT TO THE ATTENTION OF
- THE LANDSCAPE ARCHITECT PRIOR TO REMOVAL. THE LANGSCAPE ARCHITECT PRIOR TO REMOVAL.

 NEW PLANTING AREAS AME TO BE TREATED WITH HERBOIDE TO KILL ALL EXISTING GROUNDCOVER. THERE SHALL BE A
 MINIMUM OF TWO CR APPLICATIONS SEPARATED BY 10 DAYS. F. ALL EXISTING GROUNDCOVER VEGETATION IS NOT KILLED
 WITHIN 10 DAYS OF 2900 APPLICATION A 3700 APPLICATION IS REQUIRED.
- WHERE PROPOSED PLANTING ARE INDICATED IN EXISTING PAYING AREAS, CONTRACTOR SHALL EXCAVATE A MINIMUM OF 2 O' BELOW PAYING SURFACE 7.5
- 2 of BELOW PAYING SURFACE.
 FINAL PRACEPHOR OF PLANT MATERIALS, ETC., SHALL BE APPROVED BY LINDSCAPE ARCHITECT BEFORE PLANTING OFFERATIONS ARE TO PROCEED. ALL TIREE LOCATIONS SHALL BE MARKED WITH A WOOD STACE INDICATING VARIETY AND SIZE OF TIREE. ALL REGIUND COVER AND PLANTING SED UNES SHALL BE MARKED WITH A WINGLY VISIBLE PRATE LINES WOOD COME OF THE PROPERTY LINES WOOD COME OF THE PROPERTY LINES WOOD COME OF THE PROPERTY LINES WOOD CONTINUED ON SITE AND COLORIDOR OF THE PROPERTY 76
- ALL DISTURBED AREAS OUTSIDE THE LIMITS OF WORK SHALL BE RESTORED TO ORIGINAL OR BETTER CONDITION AT NO ADDITIONAL COST TO THE OWNER.
- AUDITIONAL CUST TO THE UNIVER.

 ALL LANDSCAPE PLANTINGS TO BE MAINTAINED BY CONTRACTOR FOR 80 DAYS MIN. FOLLOWING COMPLETE INSTALLATION
 AND FINAL INSPECTION BY LANDSCAPE ARCHITECT. MAINTENANCE SHALL INCLIDE WATERING, WEEDING, CULTIVATING,
 MULCHING, MOWING, AND ALL OTHER NECESSARY OPERATIONS REQUIRED FOR PROPER ESTABLISHMENT OF LAWNS AND
 PLANTINGS.
- FLARITINGS.
 ALL LANDSCAPE PLANTINGS SHALL BE WARRANTED FOR A PERIOD OF DIRE YEAR FOLLOWING FIALL INSPECTION BY LANDSCAPE ARCHITECT. AT THE END OF THIS PERIOD, PLANT MATERIAL TERRED DEAD OR UNBATTSFACTION BY LANDSCAPE ARCHITECT SHALL BE REPLACED AT NO ADDITIONAL CHARGE BY THE LANDSCAPE DONITRACTOR, THE REPLACEMENTS SHALL ALSO BE WARRANTED FOR 1 YEAR.


			PLANTING SCHEDULE			
KEY	QTY.	BOTANICAL NAME	COMMON NAME	SIZE	SPACING	COMMENTS
			DECIDUOUS TREES		1	
AFA	5	ACER FREEMANII	AUTUMN BLAZE MAPLE	2.5° CAL		
CO	5	CELTIS DCCIDENTALIS	HACKBERRY	2.5° CAL,		
LT	5	LIRIODENDRON TULIPEIFERA	TULIP TREE	2.5" CAL.		
QB	7	QUERCUS BICDLOR	SWAMP WHITE DAK	2.5° CAL,		
			ORNAMENTAL TREES			
AA	5	AMELANCHIER ARBOREA	DOWNY SERVICEBERRY	B' HT	15" D.C.	
CF	8	CORNUS FLORIDA	FLOWERING DOGWOOD	B. HL	15° D.C.	
MS	5	MALUS x 'SARGENTII"	SARGENT CRABAPPLE	B' HT.	15° 0,0.	
SR	4	SYRINGA RETICULATA 'IVORY SILK'	IVORY SILK TREE LILAC	B' HT.	15' D.C.	
		SILA	EVERGREEN TREES			
JV	4	JUNPERUS VIRGINIANA	EASTERN RED CEDAR		I I	
PP	9	PICEA PUNGENS	COLORADO SPRUCE	6'-D' HT.		
			DECIDUOUS SHRUBS			
HPB	8	HYDRANGEA PANICULATA	BOBO HYDRANGEA	#3 CONT.	48* D.C.	
RA	60		GRD-LDW SUMAC	-		
	1		EVERGREEN SHRUBS			
TEG	29	THUJA DCCIDENTALIS 'EMERALD GREEN'	EMERALD GREEN ARBORVITAE			
GØ	29	JUNIPERUS VIRGINIANA 'GREY DWL'	GREY DWL COMPACT JUNIPER	#3 CONT	48' D.C.	
PM	10	PINUS MUGO 'SLOWMOUND'	SLOWMOUND MUGO PINE	#3 CONT.	24° D.C.	
		PERENI	NIALS, GRASSES & GROUNDCOVER	RS		
AS	27	ALLIUM SATIVUM	MILLENIUM ALLIUM	#1 CONT.	18. D'C	
EPM	56	ECHINACEA 'CBG CONES'	PIXIE MEADOWBRITE CONEFLOWER	#1 CONT.	24° D.C.	
HS	86	HEMEROCALLIS 'STELLA'	STELLA DAYLILY	#1 CONT	24' D.C.	
21	86	IRIS SIBERICA	CAESAR'S BROTHER TRIS	#1 CONT.	24° D.C.	

SPECIFIC	CODE REQUIRES	CALCULATION	COMPLIANCE
SECT 10.301 DN-LDT LANDSCAPING STANDARDS (TABLE 10.301)	Dn-lot Landscaping shall be provided as described in Table 10.301 (Commercial General / All Uses): (9) Large Trees per Acre! (18) Small Trees per Acre! (50) Shrubs per Acre	TOTAL LOT AREA = 1.38 AC; (12) EA Large Trees, (25) EA Shall Trees, and (69) EA Shrubs Minimum	Provided
SECT. 10.304: PARKING LOT LANDSCAPING STANDARDS (TABLE 10.304)	Parking Lot Landscaping shall be provided as described in Table 10:304 (Commercial General) (1) Large Tree per (8) Parking Spaces) (1) Shrub, Perennial, or Ornamental Grass per (4) Parking Spaces	TOTAL PARKING SPACES = (18) EAJ (2) EA Large Trees; (5) EA Shrubs	Provided
SECT 11,306 DEVELOPMENT STANDARDS FOR OTHER SIGNATURE CORRIDORS (TABLE 11,306.A.)	Table 11:306.A. Landscape Requirements, per 100 linear feet frontage (Commercial Land Use) (2) Shade Trees; (1) Evergreen Tree; (2) Enranental Trees; (3) Large Shrubs; (6) Small Shrubs. All other area must be cavered with sad, perennials or ground caver.	TOTAL FRONTAGE AT SIGNATURE CORRIDOR = 600 ft; (12) Shade Trees; (6) Evergreen Trees; (12) Ornamental Trees; (18) Large Shrubs; (36) Small Shrubs minimum required	Provided
	Table 11,306,A. Other Requirements (Commercial Land Use): Screen all parking areas with 5 ft. buffer of shrubs, 3 ft. height naximum	N/A	Provided

Luke Oil Store #227 Valparaiso, IN ISSUE FOR: /15/25 Review ANDSCAPE DETAILS SCALE: AS NOTED PROJECT No.: DJT L101

May 7, 2025

SHRUB PLANTING SCALE: 1'= 1'-0"



M2Ke design, llc

11008 N. Landing Rd., LV.O.S.B. Monticello, IN, 47960 (312) 550-3203 dhill@m2ke.com

© M2Ke Design LLC 2025



LAKE EFFECT ENGINEERING ELECTRICAL CONSULTING & DESIGN

1388 N. 500 E MICHIGAN CITY, IN. 46383 219-517-1448

CREATIVE DESIGN SERVICES

TREATIVE DESIGN



NEW CONVENIENCE STORE BUILDING

FOR:

LUKE OIL **STORE #227**

1058 STATE ROAD 2, VALPARAISO, INIDIANIA ACROS

MARK	DATE	DESCRIPTION
1	04/01/25	OWNER REVIEW

KEYED PLAN NOTES:

- AUGN FINISHED SURFACES.
 SALES COUNTER III 36 A.J.F. MAX. BY MILLWORK.
- VENDOR.

 B. NEW CASEWORK BY MILL WORK VINDOR: 4. PROVIDE FRP WALL PANELS IN THIS ROOM FROM
- FLOOR TO CEILING
- FLOOR TO CELLING.

 PROVIDE THE WALL CLEAT III-00" AFF, FOR DISPLAY
 SHELVING, PAINT TO MATCH WALL COLOR.

 PAINT BOTTOM & EXPOSED FACES OF ALL SOFFTS
 ABOVE 8-1-12" AFF, IN THIS ROOM GANNER'S
 CUSTOM OCLOR.

 PROVIDE FRP WALL PANELS IN THIS ROOM FROM
- FLOOR TO 48 AFF.
- 8. NOT USED. 9. S.S. WIRE SHELVING RADIC TYP: 10. S.S. WIRE SHELVING ON HEAVY DUTY STANDARDS: TYP:
- THP.

 Y.F. LAM. COUNTER TOP (PL-3) WITH POST-FORMED.

 EDGE B. INTEGRAL BACK SPLASH, TYP.

 12. PROVIDE SIZE PLYWOOD WALL PANELS FROM FLOOR

 TO B-0" AFF, IN LIEU OF DRYWALL ON THIS WALL

 TYP.
- 13 NOT USED.
- 13. NOT USED.

 14. NOT USED

 15. FUR CALT PORTION OF WALL TO 6. ABOVE TINISH CEILING TO ALIGH WITH SURFACE OF ADJACENT WALL TYP.

 16. CERAMIC TILE BACKSPASH (CT-1) TYP.
- 17.6 CONC SLAB ON GRADE TVD.
- 16 PROVIDE S.S. CORNER GUARD ALL AROUND THIS SIDE
- 16, PROVIDE S.S. CORNER GUARD ALL ARCUNO THIS SIDE OF CPENING. TO CELLING FAP (FIRE-T) IN THIS AREA, TYP. 20, PROVIDE 12:224* S.S. WIRE SHELL #66* A.F.F. 21, PROVIDE 12:24* S.S. WIRE SHELL #66* A.F.F. 21, PROVIDE 12:24* S.S. WIRE SHELL #66* A.F.F. 21, PROVIDE 12:24* S.S. WIRE SHELL #66* A.F.F. 21, PROVIDE SIDE SHELL FOR SHELL FOR SHELL FOR SHELL 21, PROVIDE SIDE SHELL FOR S 22 PROVIDE PLUMBING CHASE BEHIND CARINET. TVP.

GENERAL PLAN NOTES:

- I. DO NOT SCALE PLANS. ENLARGED PLAN DIMENS TAKE PRECEDENCE OVER SMALLER SCALE PLAN
- DIMENSIONS.

 2. ALL DIMENSIONS ARE TAKEN FROM THE FINISHED. FACE OF WALLS, FACE OF CONCRETE OR TACE OF MASONRY UNLESS NOTED OTHERWISE.
- 3. ALL INTERIOR WALLS ARE TO BE WALLS UNLESS.
- NOTED OTHERWISE.

 4. THE HINGE SIDE FACE OF ALL INTERIOR DOOR
 FRAMES TO BE SET A 1/2 FROM THE HINISHED FACE
 OF THE ADJACENT PERPENDICULAR WALL UNLESS.
- NOTED OTHERWISE.

 5. SEE SHEET A10.1 FOR DOOR & WINDOW SCHEDULES.
- 6. ELEVATION 100-0 HAS BEEN ESTABLISHED AS THE BENCHMARK FINISHED FLOOR ELEVATION

·0□□□⊕ PLAN NOTE TAG EQUIPMENT SCHEDULE TAG ACCESSORY SCHEDULE TAG WINDOW SCHEDULE YAG OCIOR SCHEDULE TAG W3 WALL TYPE TAG ◆000 -0 ELEVATION HEIGHT TAG 1 HOUR RATED PARTITION 2 HOUR RATED PARTITION

COLUMN LINE DESIGNATION

PLAN SYMBOLS:


0-

FIRST FLOOR PLAN

SCALE: 1/4" = 1'-0"CLIENT: DATE: 3/31/25 PROJECT: 012036 DRAWN: DRH

APPRVD: DRH

FILE: 012019A-A1.1-FP01



GENERAL ELEVATION NOTES:

- DO NOT SCALE PLANS, ENLARGED PLAN DIMENSIONS TO PRECEDENCE OVER SMALLER SCALE PLAN DIMENSIONS.
- PRECIDENCE OVER SMALLER SCALE FLAN DIMENSIONS.

 ALL EXTERIOR DIMENSIONS ARE TAKEN FROM THE FACE OF CONCRETE OR MASOINF UNILESS NOTED OTHERWISE.

 ALL FLOOR LEVEL DIMENSIONS ARE TAKEN FROM THE FACE OF CONCRETE SLASS UNILESS NOTED OTHERWISE.

 A ALL HEAD FEIGHTS ARE TAKEN FROM THE ADJACENT FLOOR LEVEL UNILESS NOTED OTHERWISE.

 SEFER TO TYPICAL EXTERIOR WALL SECTIONS FOR ADDITIONAL TOPS ADDITIONAL TO
- ADDITIONAL DETAIL
- ADDITIONAL DETAIL.

 6. REFER TO DOOR & WINDOW SCHEDLLES FOR DOOR & WINDOW TYPES AND SIZES.

 7. ALUMNNUM STORETHON! TO BE KAMMEER TRIFAB 451T WITH 390 STANDARD ENTRANCE DOORS.

 8. I'NSULATED GLASS UNITS TO BE VIRACON VEI-85 OR EDUILL WITH TEMPERED GLASS.
- **ELEVATION KEYED NOTES:** ILLUMINATED SIGNAGE BY OWNER TYP:
 CAST STONE VENEER (CS-1), TYP.

- 2. CAST STONE VENERS (S-1), TVP.
 3. CONCRETE BRICK VENERS (BS-4), TVP.
 4. CONPOSITE WOOD SIDING (WS-1), TVP.
 5. CAST STONE METAL CORPIN WITH KYINAR FINISH, TVP.
 6. CAST STONE SILL (S-S-2), TVP.
 7. ALLIAN NUMB. STOREFRONT WINDOW OR BY NY STSTEM, TVP.
 8. DECORATIVE WORT FORTURE TVP. REFER TO ELECTRICAL PLANS.

 DOCUMENTS WORTH MOST MANDE.

 1. CAST STONE STOREFRONT TO STREET TO ELECTRICAL PLANS.
- FOR MORE INFORMATION.
- 9. FIRE DEPARTMENT LOCK BOX.
- 9. THE DEPARTMENT LOCK BOX.

 9. STORM DARNA CONNECTION, REFER TO CIVIL DRAWINGS FOR MORE INFORMATION, TVP.

 11.4" IS ALUM, DOWNSPOUT, TVP.

 12.5" ALUM, B-STYNE GUTTER, TVP.

 13.4" NOM: SPUT SACED ONLY MASONRY VENEER (CMU-1), TVP.

 14. MASONRY CONTROL, ISINT, TVP.

 15. GALV DIAM, DOOR IS FRAME, TVR.

- 16. A.C.M. FASCIA PANEL (AC.2), TVP.
- 16. ACM. FASCIA PANEL (AC 2) TYP.
 17. CAST STONE SILL CS-11, TYP.
 18. METAL HALIDE WALL PACK LIGHT FIXTURE. TYP. REFER FO.
 ELECTRICAL, PLANS FOR MORE RECORDATION,
 19. RIBER CERANT FANEL SIDING 57-11, TYP.
 20. ACM. FASCIA PANEL (AC-1), TYP.

- 21.4 # ALUM, ROOF DRAIN DOWNSPOUT, TVP.

- 21. 4" MILIM ROOF DRAIN DOWNSX 22. NOT USED. 24. NOT USED. 25. AUMI. H-CHANNEL REVEAL, TYP. 26. NOT USED. 27. NOT USED.

ELEVATION SYMBOLS:

0

♦000'-0'

0-COLUMN LINE DESIGNATION SECTION OUT SYMBOL-



FUTURE CONSTRUCTION



EQUIPMENT DESIGNATION TOILET ACCESSORY DESIGNATION WINDOW SCHEDULE DESIGNATION COOR SCHEDULE DESIGNATION WALL TYPE DESIGNATION

EJEVATION HEIGHT DESIGNATION

M2Ke design, llc

11008 N. Landing Rd., LV.O.S.B. Monticello, IN, 47960 (312) 550-3203 dhill@m2ke.com

© M2Ke Design LLC 2025




1988 N. 500 E. MICHGAN CITY, IN. 46383 219-517-1448

CREATIVE DESIGN SERVICES

TREATIVE DESIGN

FAMILY OF BRANDS



NEW CONVENIENCE STORE BUILDING

FOR:

LUKE OIL STORE #227

1058 STATE ROAD 2, VALPARAISO, INDIANA, 46383

MARK	DATE	DESCRIPTION
1	04/01/25	OWNER REVIEW
- 1		
	1 4	

EXTERIOR FINISH SCHEDULE

ITÉM:	TAGe	MANUF	DESCRIPTION / SIZE:	FINISH / COLOR:	PREFIGUSHED	REMARKS:
OMU BLOCK	CMU-1		SPLIT FACE, LIGHTWEIGHT (3-5/8 × 7-5/8 × 15/5/8*)	'LIGHT GREY'	-	
CMU BLOCK	CW0-5		SPLIT FACE LIGHTWEIGHT 17-5/8 x 7-5/8 = 15-5/8 Y	"LIGHT GREY"	П	
BRICK	B-1	COUNTY	CONCRETE BRICK (HEIOTAGE COLLECTION) (3-5/8 × 3-5/6 × 15-5/8) (HALF-HIGH)	ASH BLEND		
CAST STONE	CS-1	READING ROCK	ROCK CAST \$1.850 (9-5/8" × 7-5/6" × 15-5/8")	BUFFSTONE		
FIBER CEMENT PANEL SIDING	FS-1	NICHIHA	AWP-1818 HORIZONTAL 17 7/8 × 71 9/16 /18 ×72 NOMINALS	CUSTOM BLUE COLOR	Y	
COMPOSITE WOOD SIDING	WS-1	SIERRA F.P. TRU-GRAIN	5/8006060144 RESYSTA SIDING (5/8" x 6" SIDING)	DARK SIAM	Y	W/ H CHANNEL AT BUTT JOINTS
ACM PANEL	AC-1	SUPERIOR CANOPY CORP.	ACM PANEL (1/4" × 36" × 120)	NON-GLOSS CHEVRON BLUE	Y.	
ACM PANEL	AC-2	SUPERIOR ICANOPY CORP.	ACM PANEL (1/4" + 36" + 120")	CITYSCAPE GREY	X	-
CASE STONE WATER TABLE	.C\$-2	READING ROCK	ROCK CAST \$1.325 (3-5/8 * 6 * 47-5/8*)	LIGHT GREY	Y	
GRAVEL STOP			TWO PIECE ALUM, W/ COLOR ANODIZED FINISH	FLUDROFINISH: (PVDF) CUSTOM BLUE COLOR	X	-
MORTAR			COLORED TO MATCH STONE OR BLOCK			7
COPING.		FIRESTONE	ALUM: W/ COLOR ANCIDIZED FINISH	CITYSCAPE GREY		
ROOFING		FIRESTONE	60 mil E.P.D.M.	WHITE	Y	
GUTTER			4"# ALUM, W/ COLOR ANODIZED FINISH	GTYSCAPE GREY		
DOWNSPOUTS			5' B-STYLE ALUM: W/ COLOR ANODIZED FINISH	CITYSCAPE GREY		

NOTES:

1. PAINT EXTERIOR EXPOSED STEEL P.5:

2. SEE EXTERIOR ELEVATIONS & WALL SECTIONS FOR FINISH LOCATIONS AND MORE INFORMATION.

3. ITEMS IN QUOTATION MAKES INDICATE MANUFACTURER'S STYLE OR COLOR NAME.


EXTERIOR **ELEVATIONS**

SCALE: 1/4"=1'-0" CLIENT: DATE: 3/31/25 PROJECT: 012036 DRAWN: DRH

APPRVD: DRH A4.1

FILE: 012019A-A4.1-XELEVS





			EXTERIOR FINISH SCHED	ULE		
ITEM.	TAG	MANUE	DESCRIPTION / SIZE	RINISH / COLDR:	PREPAISHED	REMARKS:
CMU BLOCK	CMU-1		SPLIT FACE, LIGHTWEIGHT (3-5/8" x 7-5/8" x 15-5/8")	"LIGHT GREY"		
CMU BLOCK	CMD-5		SPLIT FACE, LIGHTWEIGHT (7-5/8" x 7-5/8" x 15-5/8")	"LIGHT GREY"	H	
BRICK	B-1	COUNTY MATERIALS	CONCRETE BRICK (HERITAGE COLLECTION) (3-5/8" x 3-5/8" x 15-5/8") (HALF-HIGH)	"ASH BLEND"		
CAST STONE	CS-1	READING ROCK	ROCK CAST \$1.350 (3-5/8" x 7-5/8" x 15-5/8")	"BUFFSTONE"		
FIBER CEMENT PANEL SIDING	F5-1	NICHIHA.	AWP-1818 HORIZONTAL 17 7/8" x 71 9/16" (18"x72" NOMINAL)	CUSTOM BLUE COLOR	Y	
ELFS. FASCIA.	EF-1	570	STO-THERM 2 COAT SYSTEM	"CITYSCAPE GREY"		
ELFS, SOFFIT	EF-2	570	STO-THERM 2 COAT SYSTEM	"TOQUE WHITE"		
COMPOSITE WOOD SIDING	WS-1	SIERRA F.P. TRU-GRAIN	SFB006060144 RESYSTA SIDING (S/8" x 6" SIDING)	"DARK SIAM"	Y	W/ "H" CHANNEL AT BUTT JOINTS
ACM PANEL	AC-1	SUPERIOR CANOPY CORP.	ACM PANEL (1/4" x 36" x 120")	CUSTOM BLUE COLOR "NON-GLOSS CHEVRON BLUE"	Y	
CAST STONE WATER TABLE	CS-2	READING ROCK	ROCK CAST \$1325 (3-5/8" x 6" x 47-5/8")	"DIGHT GREY"	Y	100
GRAVEL STOP	-		TWO PIECE ALUM, WY COLOR ANODIZED FINISH	"FLUOROFINISH" (PVDF) CUSTOM BLUE COLOR	Y	
MORTAR			COLORED TO MATCH STONE OR BLOCK			
COPING		FIRESTONE	ALUM, W/ COLOR ANODIZED FINISH	"CITYSCAPE GREY"		
ROOFING		FIRESTONE	60 mil E.P.D.M.	"WHITE"	Y	100
GUTTER			4"# ALUM, W/ COLOR ANODIZED FINISH	"CITYSCAPE GREY"		
DOWNSPOUTS		16	5" B-STYLE ALUM, W/ COLOR ANODIZED FINISH	"CITYSCAPE GREY"		

NOTES:

1. PAINT EXTERIOR EXPOSED STEEL P.S.

2. SEE EXTERIOR EXPOSED STEEL P.S.

3. ITEMS IN QUOTATION MARKS INDICATE MANUFACTURER'S STYLE OR COLOR NAME.

ARCHITECTURAL SITE DETAILS





May 7, 2025



May 7, 2025